




Left Elevation  
1/8" = 1'-0"



Rear Elevation  
1/8" = 1'-0"



Roof Plan  
1/8" = 1'-0"



Front Elevation  
1/4" = 1'-0"

**DESIGN LOADS:**  
 1. Design conforms with Florida Bldg. Code 6th Edition (2017) (Building & Residential) Design Criteria for Maximum Wind Forces For Buildings & Other Structures  
 2. Model No. 2 Grade Southern Pine  
 3. Risk Category II  
 4. Windes: Options 26 TRV 24  
 5. Wind Speeds: 150 PSF / 25 PSF  
 6. Intertial Pressure Coefficient: + 0.18  
 7. Exposure: B

Planned Designated and Engineered in Accordance with Florida Building Code, 6th Edition (2017), Building & Residential. For Buildings & Other Structures. See Florida Building Code, 6th Edition (2017).

ATTIC SPACE VENTILATION CALCULATION:  
 2,933 S.F. ATTIC AREA / 300 = 9.78 S.F. x 144 = 1,409 S.F.  
 1,409 S.F. / 2 = 704 S.F. UPPER & LOWER VENTILATION REQUIRED  
 UPPER VENTILATION PROVIDED VENT @ 10 S.F. / EA = 70 > 704 S.F.  
 LOWER VENTILATION PROVIDED VENT @ 10 S.F. / EA = 70 > 704 S.F.  
 110 FT. SOFFIT VENTS (MIN) @ 6/42 S.F./FT = 706 > 704 S.F.

|             |            |
|-------------|------------|
| DESIGNED BY | LHF        |
| CHECKED BY  | LHF        |
| DATE        | 11/7/2018  |
| SCALE       | AS NOTED   |
| SHEET       | 4          |
| OF 5 SHEETS |            |
| JOB NO.     | GG18-073-R |

The London Custom For:  
**Elevations and Roof Layout**

ARCHITECTURAL HOME DESIGN OVER 20 YEARS OF SERVICE  
 COMPUTER AIDED DRAFTING AWARD WINNING DESIGNS  
 PROFESSIONAL QUALITY

**Dynagraphics**

DESIGN DRAFTING

PHONE: 863-858-5065  
 CELL: 863-860-5552  
 OFFICE: 7018 O'Doniel Loop West Email: Dynagraphics1@tampabay.rr.com  
 LAKELAND, FL 33804

| NO. | REVISIONS | BY |
|-----|-----------|----|
|     |           |    |
|     |           |    |
|     |           |    |